

Example of inserting a Struct() into a database using keys

Posted At : 26 August 2009 16:42 | Posted By : Shaun McCran

Related Categories: Software Architecture, Flex Remoting, Coldfusion, SQL

A while ago a colleague and I were working on a timesheet application in Flex. The idea was that you could commit a custom timebar object, generated in flex, and it would update the dataset in the back end using the ColdFusion flex gateway.

I came across the code recently, and decided to tidy it up a bit, and make the query dynamic, based on the Struct contents. The obvious limitation to this is that your Struct and your database schema have to match exactly.

I won't go into the Flex application here, but I've emulated its input arguments here with a pre-populated structure.

```
<cfscript>
    timesheetTask = StructNew();
    StructInsert(timesheetTask, "employeeid", '36');
    StructInsert(timesheetTask, "timesheetDT", '0');
    StructInsert(timesheetTask, "projectid", '6');
    StructInsert(timesheetTask, "weekid", '25');
    StructInsert(timesheetTask, "taskid", '39');
    StructInsert(timesheetTask, "hours", '8');
    StructInsert(timesheetTask, "comment", 'Comments for this task live here');
    StructInsert(timesheetTask, "szStatus", '1');
    StructInsert(timesheetTask, "iFirstLineApproval", '23');
    StructInsert(timesheetTask, "iSecondLineApproval", '34');
    StructInsert(timesheetTask, "iCurrentApprover", '');
    StructInsert(timesheetTask, "szRejectReason", '');
    StructInsert(timesheetTask, "szDescription", '');

    updateTimesheet = createObject("component", "timesheet");
    updateTimesheet.updateTask(timesheetTask);
</cfscript>
```

Notice that this code also calls the CFC object at the end. The data itself isn't massively important, it's a time object for recording tasks.

Next we have the function, which accepts a Struct() argument called 'taskStruct'. I then loop through the structure, and populate a SQL query using the keys from a collection. The only logic is a check to see if it is the last structure element, as this controls the ',' placement.

```
me="updateTask" access="remote" returntype="string" hint="Creates a record for tim
    <cfargument name="taskStruct" type="struct" required="yes">
        <cfset var count = 0>

        <cfdump var="#arguments.taskStruct#">
    <cfset variables.structSize = structCount(arguments.taskStruct)>

    <cfquery datasource="#application.dsn#">
        INSERT INTO [dbo].[timesheet]
        (<cfloop collection="#arguments.taskStruct#" item="key">
            [#key#]
            <cfset count = count + 1>
            <cfif count LT variables.structSize>,</cfif>
        </cfloop>)

        <cfset count = 0>

        VALUES(<cfloop collection="#arguments.taskStruct#" item="key">
            '#arguments.taskStruct[key]#'
            <cfset count = count + 1>
            <cfif count LT variables.structSize>,</cfif>
        </cfloop>)
    </cfquery>

    <cfreturn true>
</cffunction>
```

That will insert your Struct into a database, in small and tidy manner. It was somewhere around here that we started using cfproperty tags, and creating strongly typed objects for Flex.